



Refrigeration and air conditioning technology






Table of contents

Learn complex topics in a simple and playful way	04
Learning with cognitive assistance systems	06
The GUNT Science Media Center	08
Thermodynamics of the refrigeration cycle with ET380	10
Fundamentals of refrigeration with ET 350	12
Principles of cold production with ET360	12
Components of refrigeration with ET 432	12
Fundamentals of air conditioning with ET 620	14

Equipped with smart features, it enables flexible lesson planning for small groups or entire classes:

- integration into the existing network
- screen mirroring of the user interface
- access to measured values via WLAN/LAN



GUNT's web-based platform, access to digital media such as drawings, videos, exercises



E-Learning courses, extensive multimedia teaching material such as videos, explanations



Augmented reality, real GUNT devices virtually connected with animations, additional information



Interactive teaching that makes learning more fun and secures the acquired knowledge in the long term



From teaching to learning with game-based learning to kindle the


desire to play and increase motivation to learn.

Our concept of hardware and digital features for gamified learning:

- combination of simulation and realworld conditions
- run competitions with our online accessible media
- solve assessments and tasks online
- videos, animations and augmented reality experiences that enable visual learning and intuitive, playful use of the equipment



Learn complex topics in a simple and playful way



In refrigeration engineering, the state variables such as pressure, temperature and density are important as is the dependence of these state variables on each other. Using a log p-h diagram, the various state variables can be repre-

sented graphically according to their dependencies. Using the log p-h diagram greatly simplifies thermodynamic calculations and is essential for understanding how refrigerating plants work.

Air conditioning in the h-x diagram 50

Air conditioning means affecting the condition of the room air in such a way that people feel comfortable and their capacity is not impaired. The condition of the air is characterised by tempera-

ture, pressure and humidity. The basic processes of air conditioning can be represented in the h-x diagram.

05





Learning with cognitive assistance systems



Intuitive handling of technology

Intuitive handling of technology leads to a better understanding of the complex theory:

- suitable human-machine interfaces, e.g. PLC with touch screen
- intuitive experimentation
- the simple operation
- the detailed animations and explanations of the main components

WASHIIIII KANIN

I BRE 495KSBREEBEFHERRPZ





The playful interaction with complex systems, components and functions teaches new knowledge and skills in

- learning through experience and observation
- finding information quickly



Visual learning

Visual representation of complex theory that is otherwise invisible and can only be understood through calculation:


- visible phase transitions
- transparent condensers and evaporators







The GUNT Science Media Center






GUNT Media Center on the Web

Digital data packages are available on GUNT's own platform:


- quick and focused acquisition of information
- selected according to didactic criteria
- helpful in the development of digital skills
- traditional learning content supplemented by digital content and methods





Digital worksheets




The E-Learning course









08




Thermodynamics of the refrigeration cycle

ET 380 Refrigeration cycle: refrigeration plant and heat pump

In **refrigeration plants**, the cooling effects are used for cooling. If the heat system is used to produce heat, this is known as a heat pump. The trainer provides an insight into the process of

phase change and creates a didactic bridge to the theoretical comparative process, the log p-h diagram.








Changes of state are visualised by real time representation of the cycle in the log p-h diagram.



The cycle is reflected in the piping and in the touch



Feeling and learning

Heat and cold are the perceptible result of the device setting, well felt in the case of the iced expansion valve. Experienced changes of state in the refrigeration circuit are internalised.

- visible phase transitions in evaporator
- dynamic display of the refrigerant mass

The transfer of all relevant measured values to a PLC enables easy evaluation and the display of the process in the log p-h diagram in real time.

Refrigerant: R513A, GWP: 631, fill quantity: 1,25 kg, CO₂ equivalent: 0.8 t, security: DINEN 378: A1





GUNT devices for refrigeration

Fundamentals of refrigeration and augmented reality experiences



ET 350 Changes of state in the refrigeration circuit

- representing and understanding the refrigeration cycle in the log p-h diagram
- real time log p-h diagram
- transparent components offer insights into the changes of state
- function of the expansion valve is clearly visible
- aggregate state of the refrigerant visible in the sight glass
- augmented reality for visualisation of processes and components

Learning objectives

- observe the evaporation and condensation of the
- represent and understand the refrigeration cycle in the log p-h diagram
- energy balances
- determine the coefficient of performance such as coefficient of performance, refrigeration capacity, compressor work

Principles of cold production

ET360 Refrigeration circuit with propane

■ natural, environmentally friendly ■ investigate steady-state and refrigerant with a CO₂ equivalent transient load behaviour of O tonnes

Feeling and learning

Evaporator in the cooling chamber

with frozen conden-

■ real time log p-h diagram

visible phase transitions in evaporator and condenser


About the product

Learning objectives

- represent and understand the refrigeration cycle in the log p-h diagram
- operating behaviour under
- determine the coefficient of performance such as coefficient of performance, refrigeration capacity, compressor work

Components of refrigeration





ET 432 Piston compressor in refrigeration

The compressor is - along with the condenser, evaporator and expansion valve - one of the four main components of a refrigeration system. Smaller refrigeration systems usually have a piston compressor. The flow rate for such compressors is a measure of the refrigeration capacity of the refrigeration system, so the characteristics of the compressor are important for the performance of the entire system.

Learning objectives

determine characteristic variables of a piston compressor during experiments

determination of the volumetric efficiency at different intake pressures, pressure ratios and

determination of the isothermal compressor

measurement of the mechanical and electrical power consumption in dependence of the high/ low pressure and pressure ratio


determination of the mechanical efficiency and the overall efficiency






GUNT devices for air conditioning

ET620 Air conditioning and ventilation system with water chiller



- air-cooled condensing and hermetic scroll compressor
- microprocessor for control of limits and alarms








Fundamentals of air conditioning

Unlike small systems that use conventional climate controllers, this experimental system is equipped with a modern building management system for control. This corresponds to the state of the art for large air-conditioning systems and is advantageous when presenting complex learning content.

Learning objectives

- practice-oriented principles of air conditioning and ventilation technology
- design and maintenance of an air conditioning and ventilation system
- principles of room air conditioning (h-x diagram)
- explanation of components: filter, air heater, air cooler, humidifier, condensing unit, PLC, flaps, outlets
- function of safety devices
- measurement of pressure curve and pressure losses
- effect of air cooler, air heater and humidifier on the state
 of the air at the outlet
- investigation of the control behaviour of an automatic air conditioning controller, determination of limiting factors





Contact

G.U.N.T. Gerätebau GmbH Hanskampring 15-17 22885 Barsbüttel Germany

+4940670854-0 sales@gunt.de www.gunt.de



Visit our website www.gunt.de